

**DETAILED ACTION**

Notice to Applicant

1. This communication is in response to the Amendment filed on 12/13/09. Claims 1-8 have been amended. Claims 9-11 have been cancelled. Claims 1-8 and 12 are pending.

***Allowable Subject Matter***

2. Claims 1-8 and 12 are allowed. The following is an examiner's statement of reasons for allowance and in light of Applicant's arguments filed on 12/02/09.

3. The drawings filed on 09/13/2000 have been acknowledged and considered by the Examiner.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Conclusion***

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to VANEL FRENEL whose telephone number is (571)272-6769. The examiner can normally be reached on 6:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Gart can be reached on 571-272-3955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Vanel Frenel/

Primary Examiner, Art Unit 3687

April 06, 2010